


# TT Series

## TAG TRAILER



### MODELS: TT20, TT22.5 AND TT25



TANDEM AXLE MODEL SHOWN

#### STANDARD TT SERIES FEATURES

- 40,000# capacity
- 22'-6" level load deck
- 60" beaver tail
- 2" hardwood lumber decking
- 3 position lunette eye
- Storage in hitch area
- 3 "D" rings per side
- 24" X 60" spring assisted ramps
- 12 volt lights
- 2 safety chains with grab hooks
- Heavy duty crank down parking jack
- 8-215/75R17.5 tires
- 8 stud hub pilot
- Heavy duty spring suspension
- 2 - 22,500# capacity axles
- 12.25" X 7.5" brakes
- Air brakes with ABS system

SEE OPTIONS SECTION FOR  
AVAILABLE OPTIONS & PRICING

Model	Capacity	No of Axles	Deck Length	LOA
TT-20	40,000#	2 each	22'-6"	33'-0"
*TT-225	45,000#	2 each	22'-6"	33'-0"
*TT-25	50,000#	3 each	22'-6"	33'-0"

\*Requires 235/75R 17.5 Tire Size

#### NOTES:



Rugged Durability, Performance, Value.

6101 South McIntosh Road, Sarasota, Florida 34238 • For additional information or your Witzco Challenger dealer nearest you, Call: (941) 922-5301 • Toll Free: 1-888-922-9900 • Fax: (941) 924-2402 • E-mail: info@witzco.com • Website: www.witzco.com

# Model: TT-20

## 20 TON - TAG TRAILER



### GENERAL DATA SHEET - PART NUMBER TT-20

Model: TT-20 - 20 Ton Tag-A-Long Trailer

**Capacity:** 40,000#

**Trailer weight:** 9,300# +/- 3%

**Gross vehicle weight rating:** 49,300#

**Dimensions:**

- Length: 33'
- Width: 8' 6"
- Load deck length: 22'6"
- Tongue Length: 66"
- Load deck height: 34" unloaded
- 3" I.D. Lunette eye 19,000 lb. vertical load capacity
- Lockable storage bay in tongue area

**Parking Jack:**

- Single pin drop leg

**Bed structure:**

- Main frame: W14x22 beams A992 grade 50
- Side channel: C8x11.5
- Cross members: C5x6x3/16 break formed channel full width
- Decking: 2" oak decking
- 60" Beavertail with 5' spring assist rear ramps

**Suspension:**

- Hutch #H9700TUS-49AC-UN/MT Spring and equalizer, #365-00 heavy duty 3 leaf spring

**Axles:**

- 2 Hendrickson 5" round 22,500# capacity w/Hub piloted wheels

**Rims & tires:**

- 8 hole unimount wheel
- 215/75R17.5 radial tires

**Brake system:**

- Meritor/Wabco "Easy Stop" #20 60 10 Tandem Axle 2S1M ABS system
- 12.25" x 7.5" air S cam w/automatic slack adjusters
- Type 30/30 brake chambers

**Light system:**

- Sealed modular wire harness
- 12-volt rubber mounted sealed beam lights
- Reflective tape

**Lashing "D" rings:**

- 4 per side of deck

**Finish:**

- 1 coat rust inhibitive enamel primer
- 2 coats high performance water borne one part urethane
- Choice of 7 factory standard colors

# Model: TT-225

## 22-1/2 TON - TAG TRAILER



### GENERAL DATA SHEET - PART NUMBER TT-22.5

Model: TT-225 - 22-1/2 Ton Tag-A-Long Trailer

**Capacity:** 45,000#

**Trailer weight:** 9,900# +/- 3%

**Gross vehicle weight rating:** 54,900#

**Dimensions:**

- Length: 33'
- Width: 8' 6"
- Load deck length: 22'6"
- Tongue Length: 66"
- Load deck height: 34" unloaded
- 3" I.D. Lunette eye 19,000 lb. vertical load capacity
- Lockable storage bay in tongue area

**Parking Jack:**

- Dual single speed landing gear

**Bed structure:**

- Main frame: W14x30 beams A992 grade 50
- Side channel: C8x11.5
- Cross members: C5x6x3/16 break formed channel full width
- Decking: 2" oak decking
- 60" Beavertail with 5' spring assist rear ramps

**Suspension:**

- Hutch #H9700TUS-49AC-UN/MT Spring and equalizer, #365-00 heavy duty 3 leaf spring

**Axles:**

- 2 Hendrickson 5" round 22,500# capacity w/Hub piloted wheels

**Rims & tires:**

- 8 hole unimount wheel
- 235/75 R 17.5 radial tires

**Brake system:**

- Meritor/Wabco "Easy Stop" #20 60 10 Tandem Axle 2S1M ABS system
- 12.25" x 7.5" air S cam w/automatic slack adjusters
- Type 30/30 brake chambers

**Light system:**

- Sealed modular wire harness
- 12-volt rubber mounted sealed beam lights
- Reflective tape

**Lashing "D" rings:**

- 4 per side of deck

**Finish:**

- 1 coat rust inhibitive enamel primer
- 2 coats high performance water borne one part urethane
- Choice of 7 factory standard colors

# Model: TT-25

## 25 TON - TAG TRAILER



### GENERAL DATA SHEET - PART NUMBER TT-25

Model: TT-25 - 25 Ton Tag-A-Long Trailer

**Capacity:** 50,000#

**Trailer weight:** 10,900# +/- 3%

**Gross vehicle weight rating:** 60,900#

**Dimensions:**

- Length: 33'
- Width: 8' 6"
- Load deck length: 22'6"
- Tongue Length: 66"
- Load deck height: 34" unloaded
- 3" I.D. Lunette eye 19,000 lb. vertical load capacity
- Lockable storage bay in tongue area

**Parking Jack:**

- Dual single speed landing gear

**Bed structure:**

- Main frame: W14x30 beams A992 grade 50
- Side channel: C8x11.5
- Cross members: C5x6x3/16 break formed channel full width
- Decking: 2" oak decking
- 60" Beavertail with 5' spring assist rear ramps

**Suspension:**

- Hutch #H9700TUS-49AC-UN/MT Spring and equalizer, #365-00 heavy duty 3 leaf spring

**Axles:**

- 3 Hendrickson 5" round 22,500# capacity w/Hub piloted wheels

**Rims & tires:**

- 8 hole unimount wheel
- 235/75 R 17.5 Radial tires

**Brake system:**

- Meritor/Wabco "Easy Stop" #20 60 10 Tandem Axle 2S1M ABS system
- 12.25" x 7.5" air S cam w/automatic slack adjusters
- Type 30/30 brake chambers

**Light system:**

- Sealed modular wire harness
- 12-volt rubber mounted sealed beam lights
- Reflective tape

**Lashing "D" rings:**

- 4 per side of deck

**Finish:**

- 1 coat rust inhibitive enamel primer
- 2 coats high performance water borne one part urethane
- Choice of 7 factory standard colors